



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/919,505	07/31/2001	Walter Ausserer	100/11630	2767

21569 7590 09/29/2005
CALIPER LIFE SCIENCES, INC.
605 FAIRCHILD DRIVE
MOUNTAIN VIEW, CA 94043-2234

EXAMINER

BARTON, JEFFREY THOMAS

ART UNIT PAPER NUMBER

1753

DATE MAILED: 09/29/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

09/919,505

Applicant(s)

AUSSERER ET AL.

Examiner

Jeffrey T. Barton

Art Unit

1753

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 25 July 2005.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-31 and 48-54 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-31 and 48-54 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
 - ☐ Certified copies of the priority documents have been received in Application No. _____.
 - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: _____

DETAILED ACTION

Response to Amendment

1. The amendment filed on 25 July 2005 does not place the application in condition for allowance.

Status of Objections and Rejections Pending Since the

Office Action of 28 October 2004

2. All objections and rejections of claims 32-47 are obviated due to cancellation of the claims.
3. The objections to claims 8, 19-31, and 50 are withdrawn due to Applicant's amendment.
4. The objection to claim 9 is withdrawn due to Applicant's clarifying remarks.
5. All rejections of claims 1-31 and 48-54 are withdrawn due to Applicant's amendment.

Claim Objections

6. Claims 8 and 28-30 are objected to because of the following informalities:
 - a. The term "sample loading conduit" is recited in line 4 of the claim, with no antecedent basis. It appears that Applicant intended to amend the language to "sample loading channel".
 - b. Claims 28-30 recite a "first pressure difference", but the claims depend on claim 2 (via claim 18), which had previously recited a different "first pressure

Art Unit: 1753

difference". Claim 28 is treated as though this limitation simply required another pressure-based sample injection step for the second sample.

Appropriate correction is required.

Claim Rejections - 35 USC § 102

7. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

8. Claims 1-8, 10-13, 15 and 16 are rejected under 35 U.S.C. 102(b) as being anticipated by Dubrow et al. (WO 98/49548)

Regarding claim 1, Dubrow et al disclose a method of separating sample materials into fractions, comprising: (a) providing a system comprising: a separation channel having a separation matrix disposed therein (Figure 1, channel 100; Page 7, lines 22-25); an injection channel (Figure 1, portion of channel 102 between load/waste channels 114 and 116) in fluid communication with the separation channel at an intermediate point along the injection channel; a sample loading channel in fluid communication with the injection channel (e.g. Channels 106/102/116 as shown in panel II of Figure 1C; the flow path used during a "preloading" step reads on a "sample loading channel"); a source of sample material (e.g. reservoir 112); and a source of reagent (Page 15, lines 5-7; such reagents must be introduced through other

Art Unit: 1753

reservoirs/channels communicating with channel 102); (b) transporting the first sample material and reagent into the sample loading channel wherein the first sample and reagent form a mixture (Preloading step with added reagent: Figure 1C, panel II; Page 14, lines 7-15; Page 15, lines 3-7); (c) injecting a portion of the mixture from the sample loading channel through the injection channel into the separation channel (Figure 1C, panels III and IV); and (d) separating the first sample material within the mixture into a plurality of fractions. (Page 7, lines 22-25; since "fractions" are simply portions of a whole, the separation reads on this step)

Regarding claims 2 and 8, Dubrow et al disclose the sample loading channel (Channels 106/102/116 as shown in panel II of Figure 1C) comprising a loading end (106) and a waste end (116), the loading end being contacted with a source of the first sample material (Sample source 112) through a capillary element (Channel 106, itself), and further comprising applying a first pressure difference across the sample loading channel as claimed. (Column 16, lines 22-27; material transport by applied pressure is disclosed)

Regarding claims 3-5, with pressure driven flow from reservoir 112 to reservoir 120, the displacement of the separation matrix in channel 100 would depend on the relative flow resistances of the channels (e.g. 106, 116, 100), fluid viscosities, etc. For a separation channel with significantly higher flow resistance than the sample loading channel (i.e. much longer, as in the device shown in Figure 3), displacement of the amounts claimed would inherently result.

Regarding claims 6 and 7, the separation channel (100) of Dubrow et al (see also Figure 3, separation channel 304) has a greater length, and therefore greater flow resistance than the sample loading channel, since all channels are disclosed as having similar cross-sectional dimensions. (Page 19, lines 19-23)

Regarding claim 10, Dubrow et al disclose the injection channel (Portion of channel 102 between load/waste channels 114 and 116) and separation channel (100) being in fluid communication at a first fluid junction (108), and a method further comprising moving a portion of the first sample material in the injection channel through the first fluid junction and into the separation conduit. (e.g. Figure 1C, panels III and IV)

Regarding claims 11 and 12, Dubrow et al disclose causing fluid motion within their device using electrokinetic flow (Page 13, lines 14-19) or pressure. (Page 16, lines 22-27)

Regarding claim 13, Dubrow et al disclose performing electrophoresis to separate components of the injected sample. (Page 13, lines 19-22)

Regarding claim 15, Dubrow et al disclose the sample loading channel (Channels 106/102/116) being in fluid communication with the reagent source via a reagent channel (Figure 1, Page 15, lines 3-11; Within this channel geometry, the reagent disclosed must be introduced from other channels/reservoirs in communication with channel 102, e.g. to the right of the portion illustrated in figures 1A and 1C, panel II. Suitable reservoir geometries for such an arrangement are shown in Figures 3-5); and wherein the reagent channel and sample loading channel have differing flow resistances. (e.g. in the geometry of Figure 3, an analogous sample loading channel to

Art Unit: 1753

that described above would be channels 356/358, with reagent introduced from channel 348 or 350. The lengths of these channels are different, and since they would have the same cross-sectional dimension, their flow resistances would be different.

Regarding claim 16, Dubrow et al disclose the reagent being a diluent. (Page 15, lines 5-7)

Claim Rejections - 35 USC § 103

9. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

10. The factual inquiries set forth in *Graham v. John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

1. Determining the scope and contents of the prior art.
2. Ascertaining the differences between the prior art and the claims at issue.
3. Resolving the level of ordinary skill in the pertinent art.
4. Considering objective evidence present in the application indicating obviousness or nonobviousness.

11. This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein

Art Unit: 1753

were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

12. Claim 9 is rejected under 35 U.S.C. 103(a) as being unpatentable over Dubrow et al (WO 98/49548) in view of Taylor.

Dubrow et al disclose a method as described above in addressing claim 2.

Regarding claim 9, Dubrow et al do not explicitly disclose using a vacuum or negative pressure to cause fluid flow, simply disclosing pressure-driven fluid transport at Page 16, lines 22-27.

Taylor et al disclose bulk flow of process fluids caused by application of pressure differences, including application of vacuum, to device ports and across channels in their device. (Column 2, lines 23-45; Column 6, lines 60-65)

It would have been obvious to one having ordinary skill in the art to modify the method of Dubrow et al by specifically using the application of a pressure gradient by application of vacuum to the waste port, as taught by Taylor et al, because it is a known, conventional means of causing pressure driven fluid flow in capillary devices, and would avoid sample biasing. Application of negative or positive pressure to a port to cause flow are known in the art to be equivalent means of accomplishing pressure driven flow, and the use of either would have been obvious to one having ordinary skill in the art.

13. Claims 14 and 18 are rejected under 35 U.S.C. 103(a) as being unpatentable over Dubrow et al (WO 98/49548) in view of Soper et al.

Dubrow et al disclose a method as described above in addressing claim 1. Regarding claim 14, they also disclose the separation channel being in communication with a source of separation medium, and filling the separation channel with separation medium by applying a pressure difference. (Page 19, lines 27-34)

Regarding claim 18, they also disclose analyzing plural fractions in sequence. (Page 20, lines 11-17)

Dubrow et al do not explicitly disclose performing the step of filling the channel with matrix after the analysis of a first sample.

Soper et al disclose a method comprising the step of replacing the medium in the separation channel after each electrophoresis experiment, specifically by filling the channel with new medium after each analysis. (Column 13, lines 8-39)

It would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the method of Dubrow et al by replacing the matrix after each electrophoresis experiment, as taught by Soper et al, because it would reduce the effects of matrix contamination from previous runs, and increase the reproducibility of experiments, as would be obvious to a skilled artisan.

14. Claim 17 is rejected under 35 U.S.C. 103(a) as being unpatentable over Dubrow et al (WO 98/49548) in view of either Soper et al or Ramsey.

Art Unit: 1753

Dubrow et al disclose a method as described in addressing claim 1 above.

Dubrow et al do not explicitly disclose the sample loading channel having substantially no separation matrix disposed therein.

Soper et al disclose a microfluidic system in which separation medium is provided to the separation channel, with no disclosure of medium located within the injection channels. (Column 13, lines 8-39)

Ramsey discloses a microfluidic system in which separation medium is provided to the separation channel, with no disclosure of medium located within the injection channels. (Column 30, lines 18-60)

It would have been obvious to one having ordinary skill in the art to limit the separation medium to the separation channel, as taught by either Soper et al or Ramsey et al, because there is no need for sieving of sample components prior to injection. In fact, separation media in the sample loading or injection channels could bias the injection by preventing the flow and injection of sample components which migrate slowly through the matrix. (e.g. high-MW polynucleotides) A skilled artisan would seek to avoid such injection biasing, and be motivated not to dispose sieving media in the injection or sample loading channels.

15. Claims 18, 26, 27, 48, 49, and 52 are rejected under 35 U.S.C. 103(a) as being unpatentable over Dubrow et al in view of Adourian et al.

Dubrow et al disclose a method as described above in addressing claims 1 and 2. Regarding claims 18, 48, and 52, they also disclose performing multiple sequential runs within the device. (Page 20, lines 11-17)

Regarding claims 26 and 27, the system of Dubrow et al is a microfluidic device with channels having microscale dimensions. (Page 19, lines 19-26)

Dubrow et al do not explicitly disclose replacing any portion of the separation matrix between runs.

Adourian et al teach the benefits of replacing the separation matrix in an electrophoresis chip, by improving reproducibility (i.e. restoring the original migration times). (Column 24, lines 2-20)

It would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the method of Dubrow et al by replacing the matrix after each electrophoresis experiment, as taught by Adourian et al, because it would reduce the effects of matrix contamination from previous runs, and increase the reproducibility of experiments.

16. Claims 19-25, 50, and 51 are rejected under 35 U.S.C. 103(a) as being unpatentable over Dubrow et al and Adourian et al as applied to claims 18 and 48 above, and further in view of Nakajima et al.

Dubrow et al and Adourian et al disclose a method as described above in addressing claim 18.

Neither Dubrow et al nor Adourian et al explicitly disclose replacing only portions of the separation matrix.

Nakajima et al disclose a method of improving the performance of previously used chromatographic columns of any size (Column 2, lines 61-62) by replacing a portion of the separation matrix with fresh material. (Column 4, line 66 - Column 5, line 9) Examples are given from 4-65% replacement. (Table 1)

It would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the method of Dubrow et al and Adourian et al by replacing only a portion of the separation matrix after a number of runs, as taught by Nakajima et al, because it would conserve separation medium. Additionally, if performed in an automated system after each run, it would help maintain consistent run-to-run matrix performance.

Regarding claim 25, it would also be obvious to replace any fraction of the gel that would provide beneficial results, which could be determined by one of ordinary skill in the art.

17. Claims 28-31, 53, and 54 are rejected under 35 U.S.C. 103(a) as being unpatentable over Dubrow et al and Adourian et al as applied to claims 18 and 48 above, and further in view of Taylor et al.

Dubrow et al and Adourian et al disclose a method as described above in addressing claims 18 and 48. In addition, Dubrow et al disclose pressure-driven fluid flow within their device. (Page 16, lines 22-27)

Neither Dubrow et al nor Adourian et al explicitly disclose using pressure-driven flow to move the separation matrix as claimed.

Taylor et al disclose bulk flow of process fluids caused by application of pressure differences, including application of vacuum, to device ports and across channels in their device. (Column 2, lines 23-45; Column 6, lines 60-65)

It would have been obvious to one having ordinary skill in the art to modify the method of Adourian et al by providing sample loading using the application of pressure gradients by application of vacuum to the waste port, as taught by Taylor et al, because it is a known, conventional means of causing fluid flow in capillary devices, and would avoid sample biasing. Application of negative or positive pressure to a port to cause flow are known in the art to be equivalent means of accomplishing pressure driven flow, and the use of either would have been obvious to one having ordinary skill in the art.

Application of a vacuum at port 120 for the preloading step shown in Figure 1C, panel II of Dubrow et al would also lead to a degree of pressure driven flow in the connecting channels, including the separation channel, depending on the respective flow resistances and fluid viscosities. A finite amount of separation medium would inherently be drawn from the separation channel towards port 120 upon application of a reduced pressure to port 120, and this would occur simultaneously with the preloading step of Dubrow et al, thus meeting the limitations of claims 28-30, as the dimensions of the separation channel would also inherently define the amount of matrix removed therefrom.

Regarding claims 31, 53, and 54, Dubrow et al disclose separation matrix being present in the reservoir at the distal end of the separation channel though all manipulations, meeting the limitations of this claim. (Page 19, lines 33-37)

Conclusion

18. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire **THREE MONTHS** from the mailing date of this action. In the event a first reply is filed within **TWO MONTHS** of the mailing date of this final action and the advisory action is not mailed until after the end of the **THREE-MONTH** shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than **SIX MONTHS** from the date of this final action.

19. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Dr. Jeffrey Barton, whose telephone number is (571) 272-1307. The examiner can normally be reached Monday-Friday from 8:30 am – 5:00 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Nam Nguyen, can be reached at (571) 272-1342. The fax number for the organization where this application or proceeding is assigned is (571) 273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at (866) 217-9197 (toll-free).

JTB
May 3, 2004

ALAN DIAMOND
PRIMARY EXAMINER

Tech Center 1700

